


EYEGLOSS MANUFACTURING METHOD USING VARIABLE INDEX
LAYER

Andreas W. Dreher

Appl. No.: 10/044,304

Atty Docket: OPH.004A

FIG.1



EYEGLOSS MANUFACTURING METHOD USING VARIABLE INDEX
LAYER

Andreas W. Dreher

Appl. No.: 10/044,304

Atty Docket: OPH.004A





FIG. 2




EYEGLOSS MANUFACTURING METHOD USING VARIABLE INDEX LAYER

Andreas W. Dreher

Appl. No.: 10/044,304 Atty Docket: OPH.004A



FIG. 3



EYEGLASS MANUFACTURING METHOD USING VARIABLE INDEX
LAYER

Andreas W. Dreher

Appl. No.: 10/044,304 Atty Docket: OPH.004A




FIG. 4






FIG. 5A





FIG 5B



EYEGLOSS MANUFACTURING METHOD USING VARIABLE INDEX LAYER

Andreas W. Dreher

Appl. No.: 10/044,304 Atty Docket: OPH.004A






FIG. 6








FIG. 9



**EYEGLOSS MANUFACTURING METHOD USING VARIABLE INDEX
LAYER**

Andreas W. Dreher

Appl. No.: 10/044,304 Atty Docket: OPH.004A

FIG. 12

